



## KRASO® Flange Plate - non-corrosive stainless steel V2A **LG2**

for installation of pipes or cables using a sealing insert (not included in the scope of supply), in front of a core drilling in concrete or masonry wall, made of non-corrosive stainless steel V2A, EPDM flat seal. ID = InternalDiameter | **DafStB waterproof concrete guideline: stress class 1 + 2**

Type / Item	KRASO® Flange Plate non-corrosive stainless steel V2A						
InternalDiameter ID tubular sleeve	80	100	125	150	200	250	300
Protrusion in mm	80	80	80	80	80	80	80
Plate size in mm	d = 240	d = 260	d = 290	d = 310	d = 360	d = 410	d = 460
<b>KRASO® Flange Plate - non-corrosive stainless steel V2A</b>	<b>228 €</b>	<b>236 €</b>	<b>252 €</b>	<b>265 €</b>	<b>308 €</b>	<b>348 €</b>	<b>384 €</b>

**Scope of supply:** KRASO® Flange Plate non-corrosive stainless steel V2A, with welded stainless steel tubular sleeve, EPDM flat seal incl. fixing material and adhesive and sealant **KRASO® PU 50**

**Further sizes and diameters available on request! Available for an additional charge: split design, fixed-loose flange construction according to DIN 18533, stainless steel V4A!**



## KRASO® Flange Plate - electrogalvanised **LG2**

for installation of pipes or cables using a sealing insert (not included in the scope of supply), in front of a core drilling in concrete or masonry wall, electrogalvanised steel, with welded tubular sleeve, EPDM flat seal. ID = InternalDiameter | **DafStB waterproof concrete guideline: stress class 1 + 2**

Type / Item	KRASO® Flange Plate electrogalvanised						
InternalDiameter ID tubular sleeve	80	100	125	150	200	250	300
Protrusion in mm	80	80	80	80	80	80	80
Plate size in mm	d = 240	d = 260	d = 290	d = 310	d = 360	d = 410	d = 460
<b>KRASO® Flange Plate - electrogalvanised</b>	<b>171 €</b>	<b>177 €</b>	<b>190 €</b>	<b>199 €</b>	<b>230 €</b>	<b>262 €</b>	<b>289 €</b>

**Scope of supply:** KRASO® Flange Plate electrogalvanised, EPDM flat seal incl. fixing material and adhesive and sealant **KRASO® PU 50**

**Further sizes and diameters available on request!**



## Non-corrosive steel or galvanised?

Note the following:

- + **Long-lasting quality:** non-corrosive stainless steel has got an especially high proportion of chromium. Combined with further alloying constituents, this is a protective layer ("chromium-oxide") providing a special protection against corrosion and acids.
- + **Cost-effective alternative:** electrogalvanised steel has got a protective coating made of zinc. However, the coating is only a few microns. If this is damaged e.g. on the construction-site, the risk of corrosion increases. If there is constant dampness, it is advisable to use the quality of non-corrosive steel.

